




ATTRIBUTE

attribute


TYPESF








pecs\_nosc\_nots\_nosa\_ea







typespec\_nonreserved\_nonattr

TYPEOF












array\_declarator









lineno\_label

absdc11\_noea






inlist









specs\_not


declspecs\_sc\_ts\_nosa\_ea


SCSPEE

decl


d














asm\_operand


The diagram features a central oval containing the text 'asm\_operand'. Three arrows point towards this oval: a blue arrow from the top-left, a green arrow from the top-right, and a purple arrow from the bottom-right. Additionally, there are several horizontal lines in cyan, maroon, and magenta across the page, and a cyan line at the bottom.





















(15.1)











parm



any\_w

decl

(3,2)



word


typename

extension

EXTENSION

component\_decl


(4.2)





VAR\_FUNC\_NAME


VA\_ARG





















compstmt\_primary\_start


data

decls

lineno\_datadecl




























component

component\_declarator


ents

attrib

empty 208

notype\_initdcl

(6.3)
























































declarator

save\_line





















lineno\_labeled\_stmt

lineno\_stmt










datadef











setspecs


nested\_function

notype\_initdecls


initdecls








ifiers  
(7.5)






notype\_nested\_function

notype\_declarator





empty 205

maybe\_attribute

parmlist\_or\_identifiers\_1

